ELSEVIER

Neuroscience Letters 307 (2001) 204–206

Neuroscience Letters

www.elsevier.com/locate/neulet

# Contents to Volume 307

**Volume 307, no. 1**

*Guidelines for the submission of manuscripts* v

Developmental changes in 5-hydroxytryptamine-induced rhythmic activity in the spinal cord of rat fetuses in vitro
K. Nakayama, H. Nishimaru, N. Kudo (Japan) 1

Modulation by age and gender of risk for Alzheimer's disease and vascular dementia associated with the apolipoprotein E-ε4 allele in Latin Americans: findings from the Maracaibo Aging Study
A.E. Molero, G. Pino-Ramírez, G.E. Maestre (Venezuela) 5

Three novel alternatively spliced isoforms of the human beta-site amyloid precursor protein cleaving enzyme (BACE) and their effect on amyloid beta-peptide production
H. Tanahashi, T. Tabira (Japan) 9

Priming stimulation of group II metabotropic glutamate receptors inhibits the subsequent induction of rat hippocampal long-term depression in vitro
C. Mellentin, W.C. Abraham (New Zealand) 13

Continual replacement of newly-generated olfactory neurons in adult rats
T. Kato, K. Yokouchi, N. Fukushima, K. Kawagishi, Z. Li, T. Moriizumi (Japan) 17

Pre- and postnatal expression of brain-derived neurotrophic factor mRNA/protein and tyrosine protein kinase receptor B mRNA in the mouse hippocampus
T. Ivanova, C. Beyer (Germany) 21

Bradykinin antagonist decreases early disruption of the blood–spinal cord barrier after spinal cord injury in mice
W. Pan, A.J. Kastin, L. Gera, J.M. Stewart (USA) 25

Protection of outer hair cells from reperfusion injury by an iron chelator and a nitric oxide synthase inhibitor in the guinea pig cochlea
K. Tabuchi, H. Okubo, K. Fujihira, S. Tsuji, A. Hara, J. Kusakari (Japan) 29

Endurance training effects on 5-$HT_{1B}$ receptors mRNA expression in cerebellum, striatum, frontal cortex and hippocampus of rats
M. Chennaoui, C. Drogou, D. Gomez-Merino, B. Grimaldi, G. Fillion, C.Y. Guezennec (France) 33

Potentiation of 5-$HT_3$ receptor functions in the hippocampal CA1 region of rats following repeated electroconvulsive shock treatments
K. Ishihara, M. Sasa (Japan) 37

Noradrenergic modulation of human cortex excitability by the presynaptic $\alpha_2$-antagonist yohimbine
C. Plewnia, M. Bartels, L. Cohen, C. Gerloff (Germany, USA) 41

Chronic treatment with certain antipsychotic drugs preserves upregulation of regulator of G-protein signalling 2 mRNA in rat striatum as opposed to c-fos mRNA
E.A. Robinet, M. Geurts, J.-M. Maloteaux, P.J. Pauwels (France, Belgium) 45

Distinction of different fingers by the frequency of stimulus induced beta oscillations in the human EEG
G. Pfurtscheller, M. Woertz, G. Krausz, C. Neuper (Austria) 49

High-voltage-activated $Ca^{2+}$ currents and the excitability of pyramidal neurons in the hippocampal CA3 subfield in rats depend on corticosterone and time of day
M.H.P. Kole, J.M. Koolhaas, P.G.M. Luiten, E. Fuchs (Germany, The Netherlands) 53

Melatonin reduces anxiety induced by lipopolysaccharide in the rat
F. Nava, G. Carta (Italy) 57

**Volume 307, no. 2**

Expression of neuronal isoform of nitric oxide synthase in spinal neurons of neonatal rats after sciatic nerve transection
F. Rogério, S.A. Teixeira, L. de Souza Queiroz, G. De Nucci, F. Langone (Brazil) 61

Influence of age on auditory startle responses in humans
M. Kofler, J. Müller, L. Reggiani, J. Valls-Solé (Austria, Spain) 65

Is the re-closure of surgically induced open neural tube defect the repetition of primary neurulation? An experimental study with chick embryos
S.K. Chung, K.B. Sim, B.-K. Cho, S.-K. Hong, K.-C. Wang (South Korea) 69

Increased innervation of rat preganglionic sympathetic neurons by substance P containing nervė fibers in response to spinal cord injury
L. Klimaschewski (Austria) 73
Claudin-1, claudin-2 and claudin-11 are present in tight junctions of choroid plexus epithelium of the mouse
H. Wolburg, K. Wolburg-Buchholz, S. Liebner, B. Engelhardt (Germany) 77
Loss of plasma glucose lowering response to cold stress in opioid μ-receptor knock-out diabetic mice
I.-M. Liu, T.-C. Chi, G.-C. Shiao, M.-T. Lin, J.-T. Cheng (Taiwan) 81
Changes in $Ca^{2+}$-dependent protein kinase C isoforms induced by chronic ethanol treatment in mice
M. Narita, H. Tamaki, M. Kobayashi, M. Soma, M. Narita, T. Suzuki (Japan, USA) 85
Deactivation and desensitization of mouse embryonic- and adult-type nicotinic receptor channel currents
K. Jahn, B. Mohammadi, K. Krampfl, A. Abicht, H. Lochmüller, J. Bufler (Germany) 89
Prepubertal increases in the levels of two salmon gonadotropin-releasing hormone mRNAs in the ventral telencephalon and preoptic area of masu salmon
H. Ando, Y. Sasaki, H. Okada, A. Urano (Japan) 93
Isoflurane slows inactivation kinetics of rat recombinant $\alpha_1\beta_2\gamma_{2L}$ $GABA_A$ receptors: enhancement of GABAergic transmission despite an open-channel block
G. Hapfelmeier, R. Haseneder, M. Eder, H. Adelsberger, E. Kochs, G. Rammes, W. Zieglgänsberger (Germany) 97
Characterization of murine immunoglobulin G antibodies against human amyloid-$\beta_{1-42}$
T. Town, J. Tan, N. Sansone, D. Obregon, T. Klein, M. Mullan (USA) 101
Activation of the hypothalamus characterizes the acupuncture stimulation at the analgesic point in human: a positron emission tomography study
J.-C. Hsieh, C.-H. Tu, F.-P. Chen, M.-C. Chen, T.-C. Yeh, H.-C. Cheng, Y.-T. Wu, R.-S. Liu, L.-T. Ho (Taiwan) 105
Increased excitability in the primary motor cortex and supplementary motor area in patients with phantom limb pain after upper limb amputation
C. Dettmers, T. Adler, R. Rzanny, R. van Schayck, C. Gaser, T. Weiss, W.H. Miltner, L. Brückner, C. Weiller (Germany) 109
Auricular acupuncture decreases neuropeptide Y expression in the hypothalamus of food-deprived Sprague–Dawley rats
E.-H. Kim, Y. Kim, M.-H. Jang, B.-V. Lim, Y.-J. Kim, J.-H. Chung, C.-J. Kim (South Korea) 113
Characterization of 5′ flanking region of α isoform of rat $Ca^{2+}$/calmodulin-dependent protein kinase II gene and neuronal cell type specific promoter activity
K. Mima, S. Deguchi, T. Yamauchi (Japan) 117
Reduced cerebrospinal fluid estradiol levels are associated with increased β-amyloid levels in female patients with Alzheimer's disease
P. Schönknecht, J. Pantel, K. Klinga, M. Jensen, T. Hartmann, B. Salbach, J. Schröder (Germany, Sweden) 122
No pathogenic mutations in the synphilin-1 gene in Parkinson's disease
R. Bandopadhyay, R. de Silva, N. Khan, E. Graham, J. Vaughan, S. Engelender, C. Ross, H. Morris, C. Morris, N.W. Wood, S. Daniel, A. Lees (UK, USA) 125
Influence of interleukin-1β gene polymorphism on age-at-onset of spinocerebellar ataxia 6 (SCA6) in Japanese patients
M. Nishimura, H. Kawakami, H. Maruyama, Y. Izumi, S. Kuno, R. Kaji, S. Nakamura (Japan) 128
Detection of brain-specific autoantibodies to myelin oligodendrocyte glycoprotein, S100β and myelin basic protein in patients with Devic's neuromyelitis optica
C.G. Haase, S. Schmidt (Germany) 131

**Volume 307, no. 3**

Branching projections of catecholaminergic ventrolateral reticular neurons to the fastigial nucleus and superior colliculus in the rat: triple labelling procedure
S. Stanzani, A. Russo, R. Pellitteri, G. Storaci, T. Cataudella (Italy) 135
An unusual population of pyramidal neurons in the anterior cingulate cortex of hominids contains the calcium-binding protein calretinin
P.R. Hof, E.A. Nimchinsky, D.P. Perl, J.M. Erwin (USA) 139
Distribution of median, ulnar and radial motoneurons in the monkey spinal cord: a retrograde triple-labeling study
S. Chiken, N. Hatanaka, H. Tokuno (Japan) 143
Menstrual cycle effects on postural stability but not optokinetic function
C.L. Darlington, A. Ross, J. King, P.F. Smith (New Zealand) 147
Excitotoxic preconditioning elicited by both glutamate and hypoxia and abolished by lactate transport inhibition in rat hippocampal slices
A. Schurr, R.S. Payne, M.T. Tseng, E. Gozal, D. Gozal (USA) 151
Estrogen decreases the responsiveness of subfornical organ neurons projecting to the hypothalamic paraventricular nucleus to angiotensin II in female rats
J. Tanaka, H. Miyakubo, T. Okumura, K. Sakamaki, Y. Hayashi (Japan) 155
Spatial performance correlates with long-term potentiation of the dentate gyrus but not of the CA1 region in rats with fimbria–fornix lesions
K. Nakao, Y. Ikegaya, M.K. Yamada, N. Nishiyama, N. Matsuki (Japan) 159
DL-Tetrahydropalmatine may act through inhibition of amygdaloid release of dopamine to inhibit an epileptic attack in rats
C.-K. Chang, M.-T. Lin (Taiwan) 163

Vasoactive intestinal peptide and related molecules induce nitrite accumulation in the extracellular milieu of rat cerebral cortical cultures
O. Ashur-Fabian, E. Giladi, S. Furman, R.A. Steingart, Y. Wollman, M. Fridkin, D.E. Brenneman, I. Gozes (Israel, USA) 167
Ability of rat microglia to uptake extracellular glutamate
K. Nakajima, Y. Tohyama, S. Kohsaka, T. Kurihara (Japan) 171
Dopaminergic inhibition of excitatory inputs onto pyramidal tract neurons in cat motor cortex
K. Huda, T.L. Salunga, K. Matsunami (Japan) 175
Anorectic effect of leptin is mediated by hypothalamic corticotropin-releasing hormone, but not by urocortin, in rats
S. Okamoto, K. Kimura, M. Saito (Japan) 179
Changes of the expression of 5-HT receptor subtype mRNAs in rat dorsal root ganglion by complete Freund's adjuvant-induced inflammation
S.-X. Wu, M. Zhu, W. Wang, Y.-Y. Wang, Y.-Q. Li, D.T. Yew (People's Republic of China, Hong Kong) 183
Expression of *c-fos* mRNA is increased and related to dynorphin mRNA expression following excitotoxic spinal cord injury in the rat
K.E. Abraham, K.L. Brewer (USA) 187
In vivo 3D visualization of normal pyramidal tracts in human subjects using diffusion weighted magnetic resonance imaging and a neuronavigation system
T. Krings, V.A. Coenen, H. Axer, M.H.T. Reinges, M. Höller, D. Graf von Keyserlingk, J.M. Gilsbach, A. Thron (Germany) 192
Changes in cortical noradrenergic axon terminals of locus coeruleus neurons in aged F344 rats
Y. Ishida, T. Shirokawa, Y. Komatsu, K. Isobe (Japan) 197

*Author Index to Volume 307* 200
*Contents to Volume 307* 204